

**novita**  
AIR • WATER • BODY

# OPERATING INSTRUCTIONS AND E-WARRANTY APPLICATION

Please read instructions before using the Humidifier

HUMIDIFIER  
**NH890**

**BREATHE WELL**

REPLENISH MOISTURE & REFRESH AIR QUALITY  
WITH NOVITA HUMIDIFIER NH890

humip**er**fect™



# CONTENTS

PRODUCT DESCRIPTION	02
CONTROL PANEL DESCRIPTION	03
TECHNICAL SPECIFICATIONS	03
GENERAL INFORMATION	04
FEATURES	05
USING THE NOVITA HUMIDIFIER	07
• Setting Up	
• Operating Notes	
• Using Air Purifying Solution Concentrate & Essential Oil Blend	
• Using Demineralization Filter	
CLEANING & MAINTENANCE	10
• Storing Guide	
TROUBLESHOOTING	12
SAFETY PRECAUTIONS	13
SAFETY INSTRUCTIONS	14
NOVITA CUSTOMER SERVICE GUARANTEE	14
E-WARRANTY APPLICATION	15
LIMITED WARRANTY TERMS & CONDITIONS	15
LIMITED WARRANTY EXTENSION	17


This product includes:

- novita Humidifier NH890 Base
- 1 x Water Tank
- 1 x Mist Outlet
- 1 x Nebulizer Brush
- Humidifier NH890 Operating Instructions & E-Warranty Application (e-copy)
- Starter Guide

\* Please contact us immediately if any of the above-mentioned items are not included

## PRODUCT DESCRIPTION

### Dehumidifier NH890



- 01. Mist Outlet
- 02. Water Tank Handle
- 03. Water Tank
- 04. Control Panel
- 05. Display Screen

- 06. Demineralization Filter (Optional)
- 07. Water Tank Cap
- 08. Main Body
- 09. Fan Outlet
- 10. Water Reservoir

- 11. Nebulizer
- 12. Water Level Sensor
- 13. Nebulizer Brush
- 14. Power Cord & Plug

# CONTROL PANEL DESCRIPTION



POWER

Power Control  
Display Screen  
Luminosity Control



LEVEL

Mist Volume  
Control



DESIRED

Humidity  
Setting




WARM

Warm  
Mode

# TECHNICAL SPECIFICATIONS

Rate Voltage	220 - 240 V / 50 Hz	
Humidification Technology	Ultrasonic	Heat Vaporizing
Power Consumption	46 Watts	149 Watt
Humidification Rate	230 ml/hr	370 ml
Continuous Humidification	Min. 21 Hours	Min. 13 Hours
Coverage	Up To 180 ft <sup>2</sup>	
Tank Capacity	5.0 Litres	
Empty Weight	3.2 Kg	
Product Dimensions (W x D x H)	230 mm x 165 mm x 316 mm	
Noise Level	<29 dB	
Regulated Mist Volume	3 Levels	
Optional Product Accessory	<ul style="list-style-type: none"><li>• Demineralization Filter</li><li>• novita Air Purifying Solution Concentrate*</li><li>• novita Naturale Essential Oil Blend*</li></ul>	

 • novita Humidifier can be used with novita's specially formulated Air Purifying Solution Concentrate and Naturale Essential Oil Blend only. Warranty will not cover any damages caused by the use of other brands/types of pure essential oils/blends/concentrate or other solutions/additives.

 • If using novita Demineralization Filter, DO NOT use in conjunction with novita Air Purifying Solution Concentrate and Naturale Essential Oil Blend and vice versa.

## GENERAL INFORMATION

### What is Humidity?

Humidity is the amount of dampness or water vapor in the air.

### What is Relative Humidity (RH)?

The Relative Humidity is the relative ratio of the amount of dampness or water vapor in the air, at a specific temperature, to the maximum amount that the air could hold at that temperature, expressed as a certain percentage.

### What are the Consequences of Low Humidity Levels to the Human Body?

When a person is exposed to low humidity levels, his or her hydration levels will be reduced and many negative bodily symptoms either occur or are aggravated.

Here are some of the common symptoms:

- Blocked, stuffed or running nose
- Difficulty in breathing
- Sore and dry throat
- Electrostatic shocks
- Dry, scaly and chapped skin
- Sore and dry eyes
- Fatigue, sleeplessness and poor concentration
- Encourages infections and illnesses of our respiratory system like Asthma
- Dry skin diseases like Eczema are aggravated in change of humidity levels

### What is the Desired Relative Humidity Level?

In tropical countries like Singapore, the weather outdoors is extremely hot and humid. Hence, usage of air-conditioning systems is commonplace. However, air-conditioning systems dry the surrounding air and cause an extreme drop of humidity levels.

A comfortable atmosphere indoors between 60% to 70% relative humidity is the recommended level.

Humidity Levels	RH [%]
Humidity Level In Air-con Room (indoor)	30% - 40%
Ideal Humidity Level (indoor)	60% - 70%
Singapore Outdoor Humidity Level	70% - 95%

\* Recommended by the Singapore Guideline for Good Indoor Air Quality

### Why use Ultrasonic Technology for Humidification?

Ultrasonic Technology is an extremely effective and economical method of maintaining and moderating the relative humidity level in the surrounding air. Ultrasonic Technology works in soundless operation and creates high oscillations and vibrations that transform water into fine vaporized mist. This mist is then dispersed into the surrounding air to add humidity into the air.

### How does the novita Humidifier NH890 Work?

When water is poured into the Water Tank, it flows into the Water Reservoir. Here, the water comes in contact with the ultrasonic resonator called the Nebulizer. The Nebulizer vibrates in a rapid speed of up to one million times per second. This high-speed vibration causes the water to break up into minute fine droplets that then pass through the Mist Outlet. A Fine mist is then produced, and blown into the air. This increases the humidity level in the room effectively.

## FEATURES



- 01 REGULATED MIST VOLUME CONTROL**  
Regulate the mist volume of NH890 by choosing between 3 different levels to customize your experience according to your desired preference.




- 02 DUAL MIST OUTLET**  
For a more comprehensive coverage of the surroundings, NH890 has 2 mist outlets which can be rotated to allow the user to direct the airflow to where it is needed for optimal efficiency.



- 03 DUAL-HUMIDIFICATION METHODS**  
NH890 adopts 2 types of ultrasonic vibration humidification methods namely heat vaporizing (warm mist, up to 80°C) and ultrasonic humidification (cool mist, room temperature). If you are looking for faster humidification, the warm mode has definitely got you covered.




- 04 HUMIDITY LEVEL CONTROL**  
Control the level of RH% best suited for you and your family with the humidity range from 40% RH to 75% RH (at an increment of 5%) or continuous mode (CO).



- 05 HYGROSTAT PRE-SET HUMIDITY LEVEL**  
Equipped with an in-built hygrostat that works as an automatic sensor of the surrounding relative humidity and hence facilitates it to continuously moderate and sustain your desired relative humidity. When the pre-set or programmed relative humidity is reached, the humidification process will pause automatically. Alternatively, if the relative humidity drops below the pre-set level, the humidification process will auto resume again.



- 06 LONG HUMIDIFICATION HOURS**  
With a sizable 5 litres water tank, you can enjoy up to 21 hours of comforting relief without needing to refill for utmost user convenience.



- 07** **SCREEN LUMINOSITY CONTROL**  
Simply tap and hold the power control button to dim the display indicator for an undisturbed rest.



- 08** **WATER SHORTAGE INDICATOR**  
Designed with an in-built water shortage sensor to detect water levels and notify user with a “no” indicator when the water level is low, to remind user to refill the water tank.



- 09** **AUTO-OFF SAFETY DEVICE**  
Unit intelligently shut off when the water level falls below the safety level as a simple preventive measure against potential overheating or damage to the unit.



- 10** **ACTIVE AIR SANITIZATION (WITH NOVITA AIR PURIFYING SOLUTION CONCENTRATE)**  
Compliment with novita Air Purifying Solution Concentrate that is formulated with NSF certified and EPA registered active ingredient from USA, it diligently oxidizes 99.99% of bacteria and virus, to protect you and your loved ones. Relax into a soothing and alluring ambience scents while breathe well with secured indoor air quality all at once, starting today!



- 11** **DEMINERALIZATION FILTER**  
The demineralization filter is designed to remove scaling-forming minerals from hard water, thus prolonging the lifespan of the ultrasonic nebulizer and promote finer ultrasonic humidification.




- 12** **OPERATIONAL EASE**  
Minimalist designed with intuitive interface, this operational ease unit blends seamlessly into your interior spaces. Emphasizing on its functionality, the features on this dainty unit are made simple and straightforward.

## USING THE NOVITA HUMIDIFIER

Ensure that the power cord is removed from the power supply at all times during installation, refilling of water, maintenance and transportation.


### Setting Up



01

Remove the unit from all packagings. Check and ensure that there are no foreign objects inside the water tank or water reservoir.


- The mist outlet is stored inside the water tank, please remove prior to usage.



02

Remove the water tank from the base and fill it with clean, tepid or cool water from the tap.


- DO NOT use water above 40°C.



03

Fasten the cap of the Water Tank snugly and place it back onto the Humidifier Base. Wait a moment for the water to fill up the water reservoir. Attach the mist outlet onto its designated compartment.


- When a filled water tank is placed onto the humidifier base, the sound of gurgling water is normal as water is travelling from water tank into the water reservoir.



04



Select a stable surface to situate the unit. Plug the power cord into the power supply and power on and the display screen flashes "88" twice.

### Operating Notes




01

#### POWER ON/OFF

Tap  button once to switch on the unit. Unit operates in 60% RH, medium mist level and warm mode by default. To switch off, tap  button once again.

- The unit might stop operation from time to time in the following conditions:
  1. The programmed RH% is met.
  2. There is a shortage of water supply inside the water tank.
  3. There is a disruption of power supply.






02

## CONTROL DISPLAY SCREEN LUMINOSITY

To dim the display screen luminosity, simply tap and hold button.

- After dimming the display screen, tapping the button once again will switch off the unit.




03

## MIST VOLUME SETTING

Tap button consecutively to select user's preferred mist volume (low, medium or high) settings. The selected setting will be displayed on the display screen.


- Unit is programmed with medium mist volume setting by default.



04

## HYGROSTAT FOR PRE-SET HUMIDITY LEVEL

When the pre-set or programmed RH% is reached, the humidification process will pause automatically and there will be no mist output. If the relative humidity drops below the pre-set level, the humidification process will auto resume its operation.




05

## HUMIDITY SETTING

Tap button consecutively to select user's preferred humidity level from 40% RH to 75% RH (at an increment of 5%) or continuous mode "□□". The selected RH% will flash twice and unit will operate in accordance to the selected setting and shortly, the display screen will revert back to the surrounding RH%.

- At continuous mode "□□", unit continues to humidify regardless of the surrounding RH% level and will only come to a stop when the water level is running low.




06

## WARM MODE

Tap button to activate warm mode and "●" at the bottom right hand corner of the display screen illuminates.

Under this mode, warm mist of up to 80°C will be produced and dispersed into the surrounding air to facilitate faster humidification rate.




07

## WATER SHORTAGE INDICATOR

When water level runs low the "no" water shortage indicator illuminates on the display screen, to notify user that a refill of the water tank is required.


## Using Air Purifying Solution Concentrate/Essential Oil Blend

- ⚡ • novita Humidifier can be used with novita's specially formulated Air Purifying Solution Concentrate and Naturale Essential Oil Blend only. Warranty will not cover any damages caused by the use of other brands/types of pure essential oils/blends/concentrate or other solutions/additives.
- 💬 • If using novita Demineralization Filter, DO NOT use in conjunction with novita Air Purifying Solution Concentrate or Naturale Essential Oil Blend and vice versa.
- It is recommended to clean and maintain the NH890 after every usage or whenever changing to a new scent, to prevent compromising the scent due to traces of preceding concentrate/essential oil blend residues.



01


Remove the water tank from the humidifier base.



02

### • AIR PURIFYING SOLUTION CONCENTRATE

Recommend 1ml of concentrate to every 100ml of water for approximately 80 ft<sup>2</sup> coverage. Gently swirl to homogenous the novita air purifying solution concentrate content.



03

### • AIR PURIFYING SOLUTION CONCENTRATE

Sprinkle directly from the bottle into the filled water reservoir 4 times. Each sprinkle is approximately 1ml.

- 💬 • You may regulate the volume of the concentrate in accordance to user's personal preference. For optimum air sanitization properties, refresh every 8 hours.
- For external use only. Keep the novita air purifying solution concentrate out of reach of children and store away from heat and direct sunlight.

⚡ • DO NOT sprinkle the novita air purifying solution concentrate into the water tank.

### • ESSENTIAL OIL BLEND

Sprinkle 10 to 15 drops of essential oil blend into water reservoir.

- 💬 • Store below 30°C
- Avoid during pregnancy and in cases of severe asthma.
- Keep the essential oil blend out of reach of children and store away from heat and direct sunlight.
- DO not apply directly on skin.


⚡ • DO NOT sprinkle the essential oil blend into the water tank.

## Using Demineralization Filter


For optimum performance, it is recommended to replace the novita demineralization filter every 90 days/approx. 540 hours\*.

\*Based on 6 hours a day, 7 days a week usage under normal domestic indoor environment.


• If using novita Demineralization Filter, DO NOT use in conjunction with novita Air Purifying Solution Concentrate or Naturel Essential Oil Blend and vice versa.



Remove the water tank and unscrew its cap.



Attach the demineralization filter onto the inner side of the water tank cap.



Screw and tighten the cap back onto the water tank, and place the water tank back onto the unit base.

## CLEANING & MAINTENANCE


It is recommended to clean and maintain the novita Humidifier NH890 at least once a week.

### BEFORE YOU START:

- DO NOT use any detergents, solvents or aggressive agents to clean the unit.
- DO NOT use brushes or cloths that are abrasive or might cause scratches or damage to the unit.
- DO NOT allow water to sit in the tank for more than 1 week.


### To Clean the Body Casing

The novita Humidifier NH890 should always be regularly maintained and cleaned. For external maintenance, regularly use a damp cloth to wipe the surface to prevent the accumulation of dust.



## To Clean the Water Tank


Remove sediments or scale buildup by shaking the Water Tank vigorously after refilling the Water Tank. Pour out the water and wipe the internal tank thoroughly with a soft cloth.



## To Clean the Water Reservoir

Pour water away from the Water Reservoir as shown in the picture. DO NOT let water get into the Fan Outlet. Remove sediments or scale buildup inside the Water Reservoir by using a damp cloth to wipe the surface.

- When use with Air Purifying Solution Concentrate or Naturale Essential Oil Blend, it is recommended to clean and maintain the NH890 after every usage or whenever changing to a new scent, to prevent compromising the scent due to traces of preceding concentrate/essential oil blend residues.




**CAUTION!**  
DO NOT let water get into the Fan Outlet.

## To Clean the Nebulizer

Completely clean the surface of the Nebulizer and the surrounding scale and foreign particle buildup using the Nebulizer Brush provided or a soft cloth.


### IMPORTANT

- 1) When the Nebulizer is not regularly cleaned, the efficiency of the unit will be compromised or even damaged depending on the severity.
- 2) DO NOT clean the Nebulizer with any solvents or aggressive agents.
- 3) DO NOT scratch or rub the surface of the Nebulizer with a sharp article.



## To Clean the Water Level Sensor Float


Proceed to use the nebulizer brush to gently clean the water level sensor to prevent mineral scaling and deposition. Ensure the water float sensor can move and pivot freely in order to actuate the Water Shortage Indicator when the water tank is empty.




## Storing Guide

To keep or store the novita Humidifier NH890, ensure that water is thoroughly drained, removed and dried from the Water Tank and Water Reservoir before storing in a cool and dry place.


## TROUBLESHOOTING

PROBLEM	POSSIBLE CAUSE	WHAT TO DO?
Humidifier does not operate	• Power cable not plugged in.	• Plug in power cable.
	• Humidifier not switched on.	• Tap the  Button.
	• There is a water shortage. (Water shortage Indicator lit up)	• Refill the Water Tank.
No Mist Output	• Desired pre-set humidity level has been met.	• Increase pre-set humidity level or wait till surrounding humidity level drops.
	• There is a water shortage. (Water shortage Indicator lit up)	• Refill the Water Tank.
	• Mineral/ Sediment buildup at the Nebulizer.	• Regular maintenance of humidifier.
Mist with odor	• Ill-maintained humidifier.	• Regular maintenance of humidifier.
	• Water is unclean.	• Remove all existing water in the tank and base, clean with fresh water and refill with fresh water.
	• Stale water.	
No Water Indicator lits up despite sufficient water	• Water Level Sensor float stuck/not properly installed.	• Check and clean the water level sensor float to ensure it can move and pivot freely to actuate the water shortage indicator when the water tank is empty.
Water Leakage	• The water tank and water reservoir are not connected properly.	• Remove the water tank and reattach it onto the water reservoir and ensure it is properly installed.
	• The water tank cap's water release nozzle is not properly attach/stuck.	• Check to ensure the water tank cap's water release nozzle is in position and properly assembled.
	• There are minerals/sediments/residual remains buildup at the water tank cap's water release nozzle.	• Brush the water release nozzle, check to ensure the nozzle can open and close normally.
	• Water level sensor is stuck/not properly installed.	• Check and clean the water level sensor float to ensure it can move and pivot freely to actuate the water shortage indicator when the water tank is empty.


## SAFETY PRECAUTIONS




**DO NOT** add any additives into the Water Tank unless specified.




**DO NOT** use any detergents, solvents or aggressive agents to clean the humidifier.




**DO NOT** cover any openings or insert any foreign objects inside any crevices of the humidifier.




**DO NOT** use the humidifier if the power cord is faulty.




Repairs of humidifiers are only to be made by qualified service engineers. Improper repair can cause considerable danger to the user.




Always choose a stable and flat surface to place your humidifier.




Refrain from overloading your power supply with multiple power plugs.




**DO NOT** pour water into the Fan Outlet of the unit.




**DO NOT** scratch or rub the surface of the Nebulizer with a sharp article but use the brush provided instead.




**DO NOT** move or incline the humidifier during operation.




**DO NOT** pour water directly into the Mist Outlet. Fill water only through the Water Tank.




**DO NOT** handle the humidifier or power cord with wet hands.



**DO NOT** immerse the humidifier base into water.



Always unplug the humidifier during installation, refilling of water, maintenance and transportation.



**DO NOT** place humidifier under direct sunlight, high temperature, near computers or sensitive electronic appliances.



**DO NOT** use Demineralization Filter together with Air Purifying Solution Concentrate/Essential Oil Blend.



## SAFETY INSTRUCTIONS

01. Read the operating instructions manual carefully before using the humidifier and keep them for later reference.
02. Persons who are not familiar with the operating instructions, as well as children and persons under the influence of medication, alcohol or drugs are not advised to operate the humidifier, or are only advised to operate it under supervision.
03. Only operate the humidifier when it is completely assembled.
04. Always ensure that there is sufficient water in the Water Tank before operation.
05. Use only clean, tepid or cool tap water to fill the tank.
06. If using novita Demineralization Filter, DO NOT use in conjunction with novita Air Purifying Solution Concentrate / Essential Oil Blend and vice versa.
07. Always have the Mist Outlet and Water Tank in place while the unit is operating. Rotate the Mist Outlet so that it is aimed away from walls or furniture.
08. Refrain from overloading your power supply with multiple power plugs.

## NOVITA CUSTOMER SERVICE GUARANTEE

At the cornerstone of novita's core values is the importance we place in Continuous Relationships. Consequently, we believe in harnessing the relationship we have with our customers. The first step in establishing this relationship is to ensure that we are always there for the customers whenever we're needed. These are just a few ways that we look out for you.



### Free Evaluation

Check in your product for a FREE assessment and evaluation by our qualified technician. Upon your confirmation, charges only apply when there is replacement of technical parts.



### Minimum Downtime

Understanding that time is of the essence, for each servicing or repair, novita guarantees that we will only take up to 7 working days to get your product up and ready for collection.



### Optional Home Delivery

Time and convenience might not always be in the advantage of customers, hence, for a nominal fee of S\$12 one-way and S\$24 two-ways, customer can choose to use our delivery service instead of bringing in the product themselves.



### Optional Loan Set\*

Knowing how inconvenient it can get when your product is sent for servicing or repair, novita lends a hand by offering you a temporary loan set at no charge.

\* Please note that this service is upon request and subjected to the availability of the product. Temporary loan set might be of a different model from original set brought in for repair.



### Service Trekking\*

With everyone's busy schedule, it's sometimes hard to keep track of everything. Sit back, relax and leave the fussing to us. Instead of calling and checking up on the status of your product, let novita keeps you updated.

\*Customers can choose to be updated via email, phone or even sms.



### Dedicated Customer Care Personnel

WhatsApp us at 8182 7665 for any enquiry or feedback. Alternatively, you can drop us an email at [custcare1@novita.com.sg](mailto:custcare1@novita.com.sg) or visit our website at [novita.com.sg](http://novita.com.sg). Our friendly customer care personnel will be glad to assist you.

## e-WARRANTY APPLICATION

Thank you for purchasing novita Humidifier NH890.

In our attempt to enhance our customer's after-sales experience, we have streamlined the warranty registration process to make it hassle-free. You no longer have to make a trip to the post office or worry about losing your warranty card.



Simply scan the QR code or visit [novita.com.sg/ewarranty](http://novita.com.sg/ewarranty) to access to our user-friendly website and register your product warranty online at the comfort of your home or office.

E-warranty registration is only applicable to customers in Singapore and stated countries who have purchased novita product(s) from our authorised retailers or dealers. Please register your product's warranty within 14 days from the date of original purchase. Upon successful registration, an acknowledgement email will be sent to you. By submitting your e-warranty application, you have agreed to all the terms and conditions stated for this warranty.

We hope you breathe well with novita HumiPerfect™ Humidifier NH890.

## LIMITED WARRANTY TERM & CONDITIONS

01. Unless otherwise specified, this limited warranty is valid for Product installed and purchased in Singapore and stated countries for the period of 12 months on all parts commencing from the date of original purchase and does not include installation, removal and reinstallation.
02. This product and all parts thereof are hereby guaranteed to the purchaser/user to be free from defects in material and workmanship.
03. Please retain the original purchase receipt for verification purposes when required. To be eligible for limited warranty coverage, Product has to be registered by the original end-user purchaser/user within 7 days from the date of purchase at [novita.com.sg/ewarranty](http://novita.com.sg/ewarranty).
04. This limited warranty is not transferable and shall not extend to anyone other than the original purchaser/user of this Product and does not include cleaning of the Product during the specific period.
05. Eligibility for limited warranty coverage is limited to repair, or replacement of any parts (excluding consumable parts and accessories exhausted through usage that may be packaged or sold together from the Product) which proves to be manufacturing defects within the applicable limited warranty period.
06. Limited warranty coverage does not extend to damages and/or defects resulting from:
  - a. Accidents, abuse, misuse, improper installation, or any manner of tampering.
  - b. Usage of wrong electrical supply/voltage.
  - c. Usage not in accordance with the operation instructions, maintenance and environmental instructions that are covered and prescribed in the operating instructions manual.
  - d. Any unauthorized repairs.
  - e. Any alteration or modification made to the Product.
  - f. Exterior finish or cosmetic damage.
  - g. Normal usage wear and tear, finishes or consumables.
  - h. Corrosion, rusting or stains.
  - i. Improper transportation, inappropriate storage conditions or materials, improper ventilation, reconfiguration of the Product.
  - j. Operating the Product in an unattended manner.
  - k. Lacking of periodically Product servicing and preventative maintenance.
  - l. Losses, damages, defects and malfunctions caused by fire or acts of God.



07. This limited warranty does not apply/cover for:
- Parts requiring replacement due to normal wear and tear, corrosion or stain.
  - Damage due to usage of other incompatibility equipment/solutions/accessories being used in conjunction with the covered Product.
  - Transportation, delivery and incidental cost incurred in fulfilment of this limited warranty. The purchaser/user shall be fully responsible for the due delivery of the Product for any repair work to novita and for the subsequent collection. Any Product to be repaired must be sent to the service centre directly. No outdoor servicing will be provided. novita can provide collection and return service and a transportation fee of S\$24 is applicable.
08. To the fullest extent permitted by law, novita shall not be in any way liable for any incidental or consequential, direct, indirect damages whatsoever caused by the breach of any express, implied or statutory warranty or condition. Except to the extent prohibited by applicable law, any implied warranty or condition of merchantability of fitness for a particular purpose is limited in duration to the duration of the above limited warranty. novita disclaims all other warranties, conditions or representations, express, implied, statutory or otherwise. novita shall not be liable for any damages of any kind resulting from the purchase, use or misuse of, or inability to use the product including incidental, special, consequential or similar damages or loss of revenue or profits, failure to realize savings or other benefits, or for any breach of contract, fundamental or otherwise, or for any claim brought against purchaser/user by any other party, regardless of the legal theory on which the claim is based, and even if novita has been advised of the possibility of such damages.
09. Without limiting the generality of the foregoing, the purchaser/user assumes all risk and liability for loss, damage or injury to the purchaser/user and their property and to any third parties and their property arising out of the use, misuse, lack of periodic servicing and proper maintenance or inability usage of the novita Product.
10. This limited warranty will be invalidated and rendered void upon the usage of any non-original filters/parts/accessories that is not approved by novita for the use with the product.
11. This limited warranty is void if the serial number on the Product had been removed, erased, defaced, altered, tampered or is illegible.
12. novita will repair or replace this product at their option and at no charge with new or reconditioned parts or Product if found to be defective during the limited warranty period specified above. novita does not warrant uninterrupted or error-free operation of the product. All replaced Product or part, or fully refunded Product, shall become the absolute property of novita and must be returned to novita. Replacement parts and Products assume the remaining original limited warranty.
13. In the event that the Product is out of stock, obsolete or beyond repair, novita reserves all rights to replace the Product with another similar value as deem appropriate, subject to availability. In no event shall any recovery against novita exceed the actual price paid for the purchase of the Product.
14. novita reserves all rights to impose charges for services on the Product which are outside the perimeter of limited warranty coverage. novita also reserve the right to decline Product servicing where the Product is obsolete, no longer deemed serviceable or replaceable for any reason.
15. If any section, provision, clause, sentence or part thereof of this limited warranty is held to be void, invalid or unenforceable, it shall be modified necessarily to make it valid and enforceable, and it shall not in any way be affected or impaired thereby.
16. novita shall reserve the right to modify or change the terms and conditions herein due to change(s) in availability of Products and/or spare parts or for the purposes of complying with applicable policies, rules, regulations and law, without prior notice.
17. With the proceeding of the Product usage, it means the purchaser/user have read, understood and agreed on the novita's Product usage and limited warranty terms and conditions and also acknowledged that novita's limitations of liability are reasonable and within the context and circumstances under which it is applied on.

## LIMITED WARRANTY EXTENSION

- Extended limited warranty is offered for all other parts repair or replacement after 1 year of the standard limited warranty period, subjected to all of the terms, conditions and limited to standard product warranty coverage.
- Extended limited warranty is available for purchase within the 1-year standard limited warranty period at [estore.novita.com.sg/nh-services](https://estore.novita.com.sg/nh-services).
- An order confirmation email will be sent to your registered email address within 7 working days after receiving the extended limited warranty purchase order and payment and the system will be updated within 14 working days.
- Extended limited warranty commencement date is inferred from product purchase date or installation; notwithstanding the extended warranty purchase date.

MODEL	Humidifier NH890
NEXT 12 MONTHS STANDARD EXTENDED LIMITED WARRANTY	S\$30/Unit

 • All Information is accurate at the point of print. novita reserves all rights to update the information without prior notice.

**eStore**   
**novita** 



 **novita.com.sg**

COPYRIGHT © 2020 NOVITA SG

BW/M/NH890/V1